


Hose Pak™ AXH-200H

(2" High Flow)



MATERIALS & DESIGN DATA UX BODY, END PIECESHOT FORGED BRASS ASTM B283, FNPT, SWT, NexPress, NexLok 600 WOG, 325°F (NexPress: 200 PSIG, 250°F / NexLok: 250 PSIG, 200°F), INTERCHANGEABLE UNION ENDS HANDLES & NUTSZINC PLATEDHARD CHROME PLATED BRASS / **BALLS** STAINLESS STEEL (optional)

	on interest of the control of the co
BALL SEALS	TEFLON
SHAFTS	BRASS / STAINLESS STEEL (optional)
	BLOWOUT-PROOF SHAFT
SHAFT SEALS	DUAL FKM O-RINGS
UNION SEALS	FKM O-RING
HOSE SPECS	300 PSI, 248°F
HOSE CORE	REINFORCED EPDM
HOSE BRAID	STAINLESS STEEL
HOSE FITTINGS	BRASS OT58
HOSE GASKET	EPDM
UMT BODY	EPOXY COATED DUCTILE IRON ,
	ASTM A536, 400 PSIG, 350°F,
	STANDARD 125# CLASS B FLANGES
FLOW CARTRIDGE	304 STAINLESS STEEL MOVING PARTS
	IN BRASS HOUSING, PAT # 8517051
CARTRIDGE SEAL	EPDM

STANDARD 125# CLASS B FLANGES				
ORDER DATA				
Sample Part #:				
A X H - 2 0 0 H F - 8 5 0 - 2 4 M 0 - G				
Model				
Valve Trim —				
Hose Pak Size ———				
Branch Line ————				
Flow Rate (GPM)				

.....ZINC PLATED STEEL

175 PSIG. 250°F.

THREADED ADAPTERSDUCTILE IRON, ASTM A395,

BOLTS

UltraFlex Hose Length -

Accessory Cap Option

Hose Adapters (Con. Type & Red. Code)

UMT Port # 1 Option (Plug or Vent) Option Order Codes (Accessories)

Please consult the "Ordering Guide" section in Nexus Valve Catalog for complete part number and ordering information.

FLOW RATES Control Range [PSID]						
SIZE [inches]	LO (2-45)	STD (5-50)				
	(± 5.0%, 5 GPM increments)					
2	25 - 70	75 - 100				

ACCESSORIES						
		Order <u>Code</u>	Part No. Description			
Literalization		Н	HT. HANGING TAG with Model No., Location, Flow Rate (Maximum 7 Characters)			
		K	ES. EXTENSION KITS			
		L	SL. SHORT LEVER HANDLE			
		М	HNA. HOSE ADAPTER. Straight and MNPT pipe threads			
		S	HSA. HOSE ADAPTER. Straight pipe threads and sweat end			
		V	MV-025. MANUAL AIR VENT 325°F, 400 PSIG, ¼" MNPT, Side Discharge			

PROJECT	
CONTRACTOR	
PO/JOB NO.	
ENGINEER	
REPRESENTATIVE	
DATE	
Copyright © 2009 Nexus Valve, Inc. All Rights Reserved	(Rev: 12/12/14)