



Ordering Guide for "A" Coil Paks™

Models A2Y, A3Y, A2X, A3X (1/2" thru 2-1/2")

Models A2N, A3N (1/2" thru 1-1/2")

Part # Template w/Sample Part #:

A 2 Y - 1 5 0 L S M 1 C 0 1 5 0 M 0

<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th style="text-align: left;">MODEL</th></tr> <tr><td>A2Y</td></tr> <tr><td>A3Y</td></tr> <tr><td>A2X</td></tr> <tr><td>A3X</td></tr> <tr><td>A2N</td></tr> <tr><td>A3N</td></tr> </table>	MODEL	A2Y	A3Y	A2X	A3X	A2N	A3N	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th style="text-align: left;">VALVE TRIM</th></tr> <tr><td>- = Brass</td></tr> <tr><td>+ = SS</td></tr> </table>	VALVE TRIM	- = Brass	+ = SS	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th style="text-align: left;">SIZE CODE</th></tr> <tr><td>050L = 1/2" LO</td></tr> <tr><td>050- = 1/2" STD</td></tr> <tr><td>075L = 3/4" LO</td></tr> <tr><td>075- = 3/4" STD</td></tr> <tr><td>100X = 1" XLO</td></tr> <tr><td>100L = 1" LO</td></tr> <tr><td>100- = 1" STD</td></tr> <tr><td>125L = 1-1/4" LO</td></tr> <tr><td>125- = 1-1/4" STD</td></tr> <tr><td>150L = 1-1/2" LO</td></tr> <tr><td>150- = 1-1/2" STD</td></tr> <tr><td>200- = 2" STD</td></tr> <tr><td>250- = 2-1/2" STD</td></tr> </table>	SIZE CODE	050L = 1/2" LO	050- = 1/2" STD	075L = 3/4" LO	075- = 3/4" STD	100X = 1" XLO	100L = 1" LO	100- = 1" STD	125L = 1-1/4" LO	125- = 1-1/4" STD	150L = 1-1/2" LO	150- = 1-1/2" STD	200- = 2" STD	250- = 2-1/2" STD	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th style="text-align: left;">BRANCH LINE</th></tr> <tr><td>F = Female, S = Sweat,</td></tr> <tr><td>P = NexPress, L = NexLok</td></tr> </table>	BRANCH LINE	F = Female, S = Sweat,	P = NexPress, L = NexLok	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th colspan="2" style="text-align: left;">TCV Connection*</th></tr> <tr><td colspan="2">Connection Type and Reduction code</td></tr> <tr><td>Type</td><td>F = Female, M = Male</td></tr> <tr><td></td><td>S = Sweat, P = NexPress,</td></tr> <tr><td></td><td>L = NexLok</td></tr> <tr><td>Reduction Codes =</td><td>0, 1, 2, 3, 4, A</td></tr> <tr><td colspan="2">S2 for 1" pak = 1/2" Sweat TCV connection</td></tr> </table>	TCV Connection*		Connection Type and Reduction code		Type	F = Female, M = Male		S = Sweat, P = NexPress,		L = NexLok	Reduction Codes =	0, 1, 2, 3, 4, A	S2 for 1" pak = 1/2" Sweat TCV connection		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th style="text-align: left;">PT & BD CAP OPT</th></tr> <tr><td>- = Composite</td></tr> <tr><td>% = Brass</td></tr> </table>	PT & BD CAP OPT	- = Composite	% = Brass	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th style="text-align: left;">HOSE ADAPTERS</th></tr> <tr><td>M = HNA</td></tr> <tr><td>S = HSA</td></tr> <tr><td>P = HPA</td></tr> <tr><td>0 = Line Size</td></tr> <tr><td>1, 2 = Reduction(s)</td></tr> <tr><td colspan="2"><i>Option available only if optional hoses are used for coil.</i></td></tr> </table>	HOSE ADAPTERS	M = HNA	S = HSA	P = HPA	0 = Line Size	1, 2 = Reduction(s)	<i>Option available only if optional hoses are used for coil.</i>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th style="text-align: left;">OPTION ORDER CODE(S)</th></tr> <tr><td colspan="2">Ext. Handle & Accessories (as applicable)</td></tr> <tr><td>K =</td><td>Ext. Kit (w/PTE, MV-025L)</td></tr> <tr><td colspan="2" style="text-align: center;">or</td></tr> <tr><td>@ =</td><td>Ext. Kit (w/PTEB, MV-025L)</td></tr> <tr><td>L =</td><td>Short Lever Handle (SL)</td></tr> <tr><td>H =</td><td>Hanging Tag Option (HT)</td></tr> <tr><td>C =</td><td>Check Valve (CV) [050L thru 125L]</td></tr> <tr><td># =</td><td>40 Mesh Filter (20 Mesh std)</td></tr> </table>	OPTION ORDER CODE(S)	Ext. Handle & Accessories (as applicable)		K =	Ext. Kit (w/PTE, MV-025L)	or		@ =	Ext. Kit (w/PTEB, MV-025L)	L =	Short Lever Handle (SL)	H =	Hanging Tag Option (HT)	C =	Check Valve (CV) [050L thru 125L]	# =	40 Mesh Filter (20 Mesh std)	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th colspan="2" style="text-align: center;">FLOW RATE (GPM)</th></tr> <tr><th style="text-align: left;">"A" Pak Size</th><th style="text-align: center;">Available Flow Rates (gpm)</th></tr> <tr><td>050L, 075L, 100X</td><td>0.33, 0.5, 0.75, 1.0, 1.25, 1.5, 1.75, 2.0, 2.25, 2.5, 2.75, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0</td></tr> <tr><td>050, 075, 100L, 125L</td><td>0.5, 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.5, 11.0, 12.0, 13.0, 14.0, 15.0</td></tr> <tr><td>100, 125, 150L</td><td>8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0, 24.0, 25.0, 30.0, 35.0, 40.0, 45.0</td></tr> <tr><td>150, 200, 250</td><td>25.0, 30.0, 35.0, 40.0, 45.0, 50.0, 55.0, 60.0, 65.0, 70.0, 75.0, 80.0, 85.0, 90.0, 95.0, 100.0</td></tr> <tr><td colspan="2" style="text-align: center;"><i>Please note the implied decimal point in flow rate entry. Example: Enter 01.5 gpm as "015", 12.0 gpm as "120", etc.</i></td></tr> </table>	FLOW RATE (GPM)		"A" Pak Size	Available Flow Rates (gpm)	050L, 075L, 100X	0.33, 0.5, 0.75, 1.0, 1.25, 1.5, 1.75, 2.0, 2.25, 2.5, 2.75, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0	050, 075, 100L, 125L	0.5, 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.5, 11.0, 12.0, 13.0, 14.0, 15.0	100, 125, 150L	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0, 24.0, 25.0, 30.0, 35.0, 40.0, 45.0	150, 200, 250	25.0, 30.0, 35.0, 40.0, 45.0, 50.0, 55.0, 60.0, 65.0, 70.0, 75.0, 80.0, 85.0, 90.0, 95.0, 100.0	<i>Please note the implied decimal point in flow rate entry. Example: Enter 01.5 gpm as "015", 12.0 gpm as "120", etc.</i>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th colspan="2" style="text-align: left;">ULTRAFLEX HOSES**</th></tr> <tr><td colspan="2">Length and Reduction Code</td></tr> <tr><td>Length</td><td>Available Sizes (∅)</td></tr> <tr><td>A = 12"</td><td>1/2" thru 1"</td></tr> <tr><td>B = 18"</td><td>1/2" thru 2"</td></tr> <tr><td>C = 24"</td><td>1/2" thru 2- 1/2"</td></tr> <tr><td>D = 36"</td><td>1/2" thru 2- 1/2"</td></tr> <tr><td>E = 48"</td><td>1/2" & 3/4"</td></tr> <tr><td>Reduction Codes</td><td>0 = Line Size</td></tr> <tr><td></td><td>1 = 1 Size Red.</td></tr> <tr><td colspan="2" style="text-align: center;"><i>C0 for 1" pak = 24" length, 1" diameter</i></td></tr> </table>	ULTRAFLEX HOSES**		Length and Reduction Code		Length	Available Sizes (∅)	A = 12"	1/2" thru 1"	B = 18"	1/2" thru 2"	C = 24"	1/2" thru 2- 1/2"	D = 36"	1/2" thru 2- 1/2"	E = 48"	1/2" & 3/4"	Reduction Codes	0 = Line Size		1 = 1 Size Red.	<i>C0 for 1" pak = 24" length, 1" diameter</i>		<table border="1" style="width: 100%; border-collapse: collapse;"> <tr><th colspan="2" style="text-align: left;">COIL Connection*</th></tr> <tr><td colspan="2">Connection Type and Reduction code</td></tr> <tr><td>Type</td><td>F = Female, M = Male, S = Sweat,</td></tr> <tr><td></td><td>P = NexPress, L = NexLok</td></tr> <tr><td colspan="2" style="text-align: center;">OR UltraFlex Hoses -></td></tr> <tr><td>Reduction Codes =</td><td>0, 1, 2, 3, 4, A</td></tr> <tr><td colspan="2"><i>F1 for 1" pak = 3/4" FNPT coil connection</i></td></tr> </table>	COIL Connection*		Connection Type and Reduction code		Type	F = Female, M = Male, S = Sweat,		P = NexPress, L = NexLok	OR UltraFlex Hoses ->		Reduction Codes =	0, 1, 2, 3, 4, A	<i>F1 for 1" pak = 3/4" FNPT coil connection</i>	
MODEL																																																																																																																																	
A2Y																																																																																																																																	
A3Y																																																																																																																																	
A2X																																																																																																																																	
A3X																																																																																																																																	
A2N																																																																																																																																	
A3N																																																																																																																																	
VALVE TRIM																																																																																																																																	
- = Brass																																																																																																																																	
+ = SS																																																																																																																																	
SIZE CODE																																																																																																																																	
050L = 1/2" LO																																																																																																																																	
050- = 1/2" STD																																																																																																																																	
075L = 3/4" LO																																																																																																																																	
075- = 3/4" STD																																																																																																																																	
100X = 1" XLO																																																																																																																																	
100L = 1" LO																																																																																																																																	
100- = 1" STD																																																																																																																																	
125L = 1-1/4" LO																																																																																																																																	
125- = 1-1/4" STD																																																																																																																																	
150L = 1-1/2" LO																																																																																																																																	
150- = 1-1/2" STD																																																																																																																																	
200- = 2" STD																																																																																																																																	
250- = 2-1/2" STD																																																																																																																																	
BRANCH LINE																																																																																																																																	
F = Female, S = Sweat,																																																																																																																																	
P = NexPress, L = NexLok																																																																																																																																	
TCV Connection*																																																																																																																																	
Connection Type and Reduction code																																																																																																																																	
Type	F = Female, M = Male																																																																																																																																
	S = Sweat, P = NexPress,																																																																																																																																
	L = NexLok																																																																																																																																
Reduction Codes =	0, 1, 2, 3, 4, A																																																																																																																																
S2 for 1" pak = 1/2" Sweat TCV connection																																																																																																																																	
PT & BD CAP OPT																																																																																																																																	
- = Composite																																																																																																																																	
% = Brass																																																																																																																																	
HOSE ADAPTERS																																																																																																																																	
M = HNA																																																																																																																																	
S = HSA																																																																																																																																	
P = HPA																																																																																																																																	
0 = Line Size																																																																																																																																	
1, 2 = Reduction(s)																																																																																																																																	
<i>Option available only if optional hoses are used for coil.</i>																																																																																																																																	
OPTION ORDER CODE(S)																																																																																																																																	
Ext. Handle & Accessories (as applicable)																																																																																																																																	
K =	Ext. Kit (w/PTE, MV-025L)																																																																																																																																
or																																																																																																																																	
@ =	Ext. Kit (w/PTEB, MV-025L)																																																																																																																																
L =	Short Lever Handle (SL)																																																																																																																																
H =	Hanging Tag Option (HT)																																																																																																																																
C =	Check Valve (CV) [050L thru 125L]																																																																																																																																
# =	40 Mesh Filter (20 Mesh std)																																																																																																																																
FLOW RATE (GPM)																																																																																																																																	
"A" Pak Size	Available Flow Rates (gpm)																																																																																																																																
050L, 075L, 100X	0.33, 0.5, 0.75, 1.0, 1.25, 1.5, 1.75, 2.0, 2.25, 2.5, 2.75, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0																																																																																																																																
050, 075, 100L, 125L	0.5, 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.5, 11.0, 12.0, 13.0, 14.0, 15.0																																																																																																																																
100, 125, 150L	8.0, 9.0, 10.0, 11.0, 12.0, 13.0, 14.0, 15.0, 16.0, 17.0, 18.0, 19.0, 20.0, 21.0, 22.0, 24.0, 25.0, 30.0, 35.0, 40.0, 45.0																																																																																																																																
150, 200, 250	25.0, 30.0, 35.0, 40.0, 45.0, 50.0, 55.0, 60.0, 65.0, 70.0, 75.0, 80.0, 85.0, 90.0, 95.0, 100.0																																																																																																																																
<i>Please note the implied decimal point in flow rate entry. Example: Enter 01.5 gpm as "015", 12.0 gpm as "120", etc.</i>																																																																																																																																	
ULTRAFLEX HOSES**																																																																																																																																	
Length and Reduction Code																																																																																																																																	
Length	Available Sizes (∅)																																																																																																																																
A = 12"	1/2" thru 1"																																																																																																																																
B = 18"	1/2" thru 2"																																																																																																																																
C = 24"	1/2" thru 2- 1/2"																																																																																																																																
D = 36"	1/2" thru 2- 1/2"																																																																																																																																
E = 48"	1/2" & 3/4"																																																																																																																																
Reduction Codes	0 = Line Size																																																																																																																																
	1 = 1 Size Red.																																																																																																																																
<i>C0 for 1" pak = 24" length, 1" diameter</i>																																																																																																																																	
COIL Connection*																																																																																																																																	
Connection Type and Reduction code																																																																																																																																	
Type	F = Female, M = Male, S = Sweat,																																																																																																																																
	P = NexPress, L = NexLok																																																																																																																																
OR UltraFlex Hoses ->																																																																																																																																	
Reduction Codes =	0, 1, 2, 3, 4, A																																																																																																																																
<i>F1 for 1" pak = 3/4" FNPT coil connection</i>																																																																																																																																	

* Please consult the **Union End Connection Size Guide** to determine if desired reduction size and connection type is available.

** Optional UltraFlex not included in standard pak price. UltraFlex is equipped with female swivel hose end connection toward the coil.

All standard Coil Paks accessorized per catalog details. Selection of UltraFlex or other available options will increase price. Coil Paks do not include TCV.