


Coil Pak[™] M2TB

(2¹/₂")



BODY	CAST IRON, ASTM A126, CLASS B
	232 PSIG, 250°F
	STANDARD 125# CLASS B FLANGES
CAP	CAST IRON
LIMITING SCREW	BRASS C36000
STEM	BRASS C36000
RETAINING RING	BRASS, ASTM B16 C36000
SPRING	STAINLESS STEEL 302
O-RINGS	EPDM
HANDWHEEL	POLYAMIDE
POSITION INDICATOR	POLYAMIDE
OBTURATOR	COMPOSITE
SEAL	EPDM
SCREWS	STAINLESS STEEL
GLOBE	RYTON (PPS)
BUTTERFLY VALVE	EPOXY COATED CAST IRON, ASTM A126,
	CLASS B, LUG TYPE BUTTERFLY VALVE,
	225 PSIG, 250°F, 304 STAINLESS STEEL DISK,
	416 STAINLESS STEEL SHAFT
THREADED ADAPTERS	DUCTILE IRON, ASTM A395, 175 PSIG, 250°F,
	STANDARD 125# CLASS B FLANGES
BOLTS	ZINC PLATED STEEL
ACCURACY	±5%

н HT. HANGING TAG with Model No., Location, Flow Rates (Maximum 7 Characters)



ACCURACY±5%	
ORDER DATA	
Sample Part #: M2 TB0250-00110X Model Coil Pak Size 0250-2%; Flow Rate (GPM) Extended Accessories (ES) Port Accessories (Return Side) Port Accessories (Supply Side) Option Order Codes (HT)	PROJECT CONTRACTOR PO/JOB NO ENGINEER REPRESENTATIVE DATE
M2TB coil paks include base model UltraMB & Butterfly Valve. Additional accessories and options may be ordered separately.	Copyright © 2013 Nexus Valve, Inc. All Rights Reserved (Rev: 03/03/23)